



SHINING RIMS

ADVANCED TECH & QUALITY

2026

PRODUCT SPECIFICATION GUIDE





ROAD RACING

A-600
A-360
A-T300
A-240

05

A-350DB

A-350
A-330
A-220
RA-300
RA-600

06

RR-600
RR-300
RC-200
A-M8

07

FAT BIKE

SB-100
SB-T80
SB-90
SB-80
SB-60
MP-80

08

DOWNHILL

DB-X50
DB-X40
DB-45
DB-35

09

DB-X30
DB-X25
DB-X21
DB-50
DB-32
DB-31
DB-30

10

DB-M3

DB-T280
DB-T260
DB-T250
DB-S240

11

DB-25
DB-24
DB-22
DB-Z21

DB-S300
DB-S260
DB-300

12

DB-28
DB-21
DB-19
DB-18
DB-17

ATB/MTB/TREKKING

AS-T35
AS-T31
A-325D
A-320

13

AS-T30
AS-35P
AS-30P
AS-25P
AS-210-S
AS-210-P
AS-19
A-M6

14

A-M5
A-S300
A-300
A-S262
A-M3
A-M1
MT-96
MT-86

15

A-262
A-250
A-X240
A-M4
MT-66
MT-46
MT-26
MT-25

16

MT-S16
MT-21
MT-20
MT-18
CT-46

17

BMX FREESTYLE

BX-38
BX-36
BX-34
BX-33
BX-32
BX-28
BX-S22
BX-20

18

BX-16
BX-14

19

SINGLE WALL

MP-50
MP-32
A-7N
A-8V

19

MP-22
EMP-50
A-5N
A-6N
A-7X
A-5X
A-35X
LP-60

20

LP-50
LP-40

21

STEEL RIM

7A
7X

21

MOTOR RIM

STEEL RIM
YL
TL
U
TMT
WM
H
MT

22

ABOUT

SHINING CYCLE, Taiwan manufacturer of Bicycle rims, Motorcycle rims and Bike components established in 1972. With more than 40 years of experience, SHINING CYCLE has become one of the biggest rim manufacturer in Taiwan and more than 500 staffs at the two principal sites in Taiwan and Vietnam, which provide more than 1000 million pairs of rims for the world bicycle riders per year. SHINING CYCLE always uses advanced technology and equipment to keep products ahead of the market and could perform its best to those bicycle lovers. As we design rims, we build rims, we test rims, we ride on our rims, then we love our rims, thus we know what riders need and even more. We, at SHINING CYCLE, are aiming to bring joy and create excitement to the world cyclists. When you are riding on SHINING rims, the wind touches the skin, you will experience the power of SHINING rims and enjoy the nature environment around you.

So, make your rims SHINING today!





CONTACT

享勵工業股份有限公司 (台灣)

71041 台南市 永康區 環工路7號

<http://www.shining-cycle.com> | Email: slcycle@shining-cycle.com

SHEANG LIH CYCLE INDUSTRY CO., LTD.

Postal# 71041, No.7, Hwan Gong Rd., Yung Kang Dist., Tainan City, Taiwan

Tel : +886-6-2042077-8 | Fax : +886-6-2337514

SHEANG LIH CYCLE (VIETNAM) ENT. LTD.

Postal# 820000, No.21, DT743 Street, Lot N, Song Than 2 Industrial Zone, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel : +84-274-3730188 | Fax : +84-274-3730218



ISO 14001:2015 Cert. No.:717239





BICYCLE RIM ROAD RACING


A-600



SIZE	WEIGHT	ERD
700C(622-13)	665g	573mm
650C(571-13)	615g	522mm

HOLES : 20H/24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW

A-360



SIZE	WEIGHT	ERD
700C(622-14)	527g	584mm

HOLES : 20H/24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW

A-T300



SIZE	WEIGHT	ERD
700C(622-17)	601g	577mm

HOLES : 28H/32H
JOINT : PINNED


A-240



SIZE	WEIGHT	ERD
700C(622-15)	530g	591mm
26"(559-15)	475g	527mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS


A-350DB



SIZE	WEIGHT	ERD
700C(622-14)	584g	576mm

HOLES : 28H/32H/36H
JOINT : PINNED

A-350



SIZE	WEIGHT	ERD
700C(622-12)	585g	577mm
650C(571-12)	540g	525mm
24"x1(520-12)	489g	474mm
20"x1 1/8(451-12)	430g	405mm
20"(406-12)	380g	360mm

HOLES : 18H/20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW


A-330



SIZE	WEIGHT	ERD
700C(622-14)	640g	577mm
650C(571-14)	585g	525mm
20"x1 1/8(451-14)	465g	405mm
20"(406-14)	410g	360mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

A-220



SIZE	WEIGHT	ERD
700C(622-15)	480g	595mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

RA-300



SIZE	WEIGHT	ERD
700C(622-13)	396g	599mm

HOLES : 32H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS

RA-600



SIZE	WEIGHT	ERD
700C(622-14)	412g	594mm
650C(571-14)	377g	542mm
20"x1 1/8(451-14)	299g	422mm
18"x1.0(400-14)	271g	371mm

HOLES : 20H/24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS






RR-600



SIZE	WEIGHT	ERD
700C(622-14)	420g	594mm
650C(571-14)	390g	544mm

HOLES : 20H/24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS

RR-300



SIZE	WEIGHT	ERD
700C(622-13)	400g	599mm
650C(571-13)	374g	548mm
20"x1 1/8(451-13)	291g	428mm
18"(355-13)	235g	332mm

HOLES : 20H/24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS

RC-200



SIZE	WEIGHT	ERD
700C(622-14)	520g	600mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

A-M8




SIZE	WEIGHT	ERD
700C(622-14)	510g	602mm
650C(571-14)	475g	551mm
24"x1(520-14)	426g	500mm
20"x1 1/8(451-14)	370g	431mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS



BICYCLE RIM
FAT BIKE

SB-100



SIZE 26"(559-94) **WEIGHT** 1170g **ERD** 536mm

HOLES : 32H
JOINT : PINNED
OPTIONAL : EYELETS/REDUCE WEIGHT


SB-T80



SIZE 27.5"(584-75)
26"(559-75) **WEIGHT** 910g
860g **ERD** 564mm
539mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : EYELETS/REDUCE WEIGHT


SB-90



SIZE 26"(559-84) **WEIGHT** 918g **ERD** 534mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : EYELETS/REDUCE WEIGHT


SB-80



SIZE 26"(559-75)
24"(507-75)
20"(406-75) **WEIGHT** 900g
880g
710g **ERD** 536mm
484mm
383mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : EYELETS/REDUCE WEIGHT

SB-60



SIZE 24"(507-54)
20"(406-54) **WEIGHT** 549g
476g **ERD** 488mm
386mm

HOLES : 32H
JOINT : PINNED
OPTIONAL : REDUCE WEIGHT

MP-80



SIZE 26"(559-73) **WEIGHT** 890g **ERD** 536mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : EYELETS/REDUCE WEIGHT



BICYCLE RIM
DOWN HILL


DB-X50



SIZE	WEIGHT	ERD
29"(622-45)	764g	601mm
27.5"(584-45)	714g	563mm
26"(559-45)	676g	538mm

HOLES : 32H/36H
JOINT : PINNED


DB-X40



SIZE	WEIGHT	ERD
29"(622-35)	607g	601mm
27.5"(584-35)	556g	563mm
26"(559-35)	543g	538mm

HOLES : 32H/36H
JOINT : PINNED


DB-45



SIZE	WEIGHT	ERD
26"(559-38)	905g	534mm
24"(507-38)	830g	482mm
20"(406-38)	670g	380mm
19"(381-38)	630g	359mm

HOLES : 32H/36H/48H
JOINT : PINNED
OPTIONAL : EYELETS


DB-35



SIZE	WEIGHT	ERD
32"(686-30)	830g	653mm
29"/700C(622-30)	760g	589mm
27.5"(584-30)	775g	551mm
26"(559-30)	680g	525mm
24"(507-30)	620g	474mm

HOLES : 32H/36H/48H
JOINT : PINNED
OPTIONAL : EYELETS


DB-X30



SIZE	WEIGHT	ERD
29"(622-30)	578g	602mm
27.5"(584-30)	544g	564mm
24"(507-30)	473g	487mm
20"(406-30)	381g	385mm

HOLES : 32H/36H
JOINT : PINNED

DB-X25



SIZE	WEIGHT	ERD
29"(622-25)	558g	601mm
27.5"(584-25)	525g	563mm
26"(559-25)	501g	539mm
20"(406-25)	367g	385mm

HOLES : 28H/32H/36H
JOINT : PINNED


DB-X21



SIZE	WEIGHT	ERD
29"(622-21)	495g	601mm
27.5"(584-21)	470g	563mm
26"(559-21)	446g	538mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS


DB-50



SIZE	WEIGHT	ERD
29"/700C(622-35)	866g	589mm
27.5"(584-35)	815g	551mm
26"(559-35)	795g	526mm
24"(507-35)	720g	474mm
20"(406-35)	585g	373mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : EYELETS


DB-32



SIZE	WEIGHT	ERD
26"(559-26)	603g	533mm
24"(507-26)	540g	481mm
20"(406-26)	439g	379mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

DB-31



SIZE	WEIGHT	ERD
29"(622-19)	514g	594mm
27.5"(584-19)	484g	556mm
26"(559-19)	462g	530mm

HOLES : 24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS


DB-30



SIZE	WEIGHT	ERD
700C(622-24)	553g	601mm
27.5"(584-24)	516g	563mm
26"(559-24)	495g	538mm
24"(507-24)	449g	486mm
20"(406-24)	385g	384mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-M3




SIZE	WEIGHT	ERD
700C(622-19)	554g	589mm
27.5"(584-19)	526g	550mm
26"(559-19)	498g	525mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS



DB-T280



SIZE 700C(622-19) **WEIGHT** 572g **ERD** 581mm

HOLES : 28H/32H
JOINT : PINNED
OPTIONAL : EYELETS

DB-T260



SIZE 700C(622-21) **WEIGHT** 556g **ERD** 585mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-T250

NEW



SIZE 700C(622-25) **WEIGHT** 578g **ERD** 587mm
 27.5"(584-25) **WEIGHT** 544g **ERD** 549mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-S240



SIZE 700C(622-19) **WEIGHT** 471g **ERD** 589mm
 27.5"(584-19) **WEIGHT** 443g **ERD** 551mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : EYELETS


DB-25



SIZE 700C(622-17) **WEIGHT** 513g **ERD** 601mm
 27.5"(584-17) **WEIGHT** 482g **ERD** 563mm
 26"(559-17) **WEIGHT** 462g **ERD** 538mm
 24"(507-17) **WEIGHT** 430g **ERD** 486mm
 20"(406-17) **WEIGHT** 345g **ERD** 385mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-24



SIZE 700C(622-17) **WEIGHT** 512g **ERD** 599mm
 26"(559-17) **WEIGHT** 455g **ERD** 535mm
 24"(507-17) **WEIGHT** 415g **ERD** 484mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-22



SIZE 700C(622-22) **WEIGHT** 584g **ERD** 598mm
 26"(559-22) **WEIGHT** 525g **ERD** 536mm

HOLES : 28H/32H/36H
JOINT : PINNED

DB-Z21

NEW




SIZE 29"/700C(622-21) **WEIGHT** 414g **ERD** 600mm
 26"(559-21) **WEIGHT** 372g **ERD** 536mm
 24"(507-21) **WEIGHT** 339g **ERD** 485mm
 20"(406-21) **WEIGHT** 273g **ERD** 383mm

HOLES : 28H/32H/36H
JOINT : SLEEVED

DB-S300


NEW



SIZE	WEIGHT	ERD
700C(622-25)	596g	578mm
27.5"(584-25)	562g	540mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : EYELETS

DB-S260




SIZE	WEIGHT	ERD
700C(622-21)	504g	585mm
27.5"(584-21)	475g	547mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : EYELETS

DB-300


NEW



SIZE	WEIGHT	ERD
700C(622-25)	691g	580mm
27.5"(584-25)	650g	541mm
26"(559-25)	622g	516mm

HOLES : 24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS


DB-28



SIZE	WEIGHT	ERD
29er/700C(622-19)	534g	601mm
27.5"(584-19)	500g	563mm
26"(559-19)	475g	537mm
24"(507-19)	434g	486mm
20"(406-19)	350g	384mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-21



SIZE	WEIGHT	ERD
29"(622-21)	529g	603mm
27.5"(584-21)	498g	564mm
26"(559-21)	476g	539mm

HOLES : 24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-19



SIZE	WEIGHT	ERD
700C(622-18)	500g	602mm
26"(559-18)	450g	539mm
24"(507-18)	408g	487mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS


DB-18



SIZE	WEIGHT	ERD
29er/700C(622-19)	475g	601mm
27.5"(584-19)	439g	564mm
26"(559-19)	425g	538mm
24"(507-19)	382g	486mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-17




SIZE	WEIGHT	ERD
700C(622-18)	480g	602mm
26"(559-18)	430g	539mm

HOLES : 28H/32H/36H
JOINT : PINNED



BICYCLE RIM
ATB/MTB/TREKKING


AS-T35



SIZE	WEIGHT	ERD
29"(622-35)	571g	597mm
27.5"(584-35)	542g	559mm

HOLES : 32H
JOINT : SLEEVED

AS-T31



SIZE	WEIGHT	ERD
700C(622-31)	615g	587mm
27.5"(584-31)	597g	549mm
26"(559-31)	561g	524mm
24"(507-31)	500g	472mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : EYELETS

A-325D



SIZE	WEIGHT	ERD
700C(622-19)	590g	579mm

HOLES : 28H/32H
JOINT : PINNED

A-320



SIZE	WEIGHT	ERD
700C(622-19)	650g	579mm
26"(559-19)	580g	515mm
24"(507-19)	530g	464mm
20"(406-19)	425g	362mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW




AS-T30



SIZE	WEIGHT	ERD
29"(622-30)	529g	597mm
27.5"(584-30)	486g	559mm

HOLES : 32H
JOINT : SLEEVED

AS-35P



SIZE	WEIGHT	ERD
27.5"(584-35)	599g	559mm

HOLES : 32H
JOINT : PINNED


AS-30P



SIZE	WEIGHT	ERD
29"(622-30)	594g	597mm
27.5"(584-30)	540g	559mm

HOLES : 32H
JOINT : PINNED

AS-25P



SIZE	WEIGHT	ERD
29"/700C(622-25)	518g	601mm
27.5"(584-25)	492g	563mm
26"(559-25)	466g	538mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS


AS-210-S



SIZE	WEIGHT	ERD
700C(622-20)	429g	595mm

HOLES : 24H/28H/32H/36H
JOINT : SLEEVED


AS-210-P



SIZE	WEIGHT	ERD
700C(622-20)	482g	595mm

HOLES : 32H
JOINT : PINNED

AS-19



SIZE	WEIGHT	ERD
29"(622-19)	460g	604mm
27.5"(584-19)	431g	566mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS


A-M6



SIZE	WEIGHT	ERD
700C(622-16)	530g	598mm
26"(559-16)	475g	534mm
24"(507-16)	430g	483mm
20"x1 1/8(451-16)	385g	426mm
20"(406-16)	345g	381mm
16"x1 3/8(349-16)	305g	325mm
16"(305-16)	269g	280mm

HOLES : 14H/20H/21H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW


A-M5



SIZE	WEIGHT	ERD
700C(622-14)	495g	595mm
24"x1 3/8(540-14)	422g	512mm
20"x1 1/8(451-14)	360g	423mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW


A-S300



SIZE	WEIGHT	ERD
29"/700C(622-19)	630g	579mm
27.5"(584-19)	600g	540mm
26"(559-19)	570g	515mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS


A-300



SIZE	WEIGHT	ERD
700C(622-19)	733g	579mm
26"(559-19)	652g	515mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


A-S262



SIZE	WEIGHT	ERD
700C(622-17)	524g	585mm

HOLES : 24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW


A-M3



SIZE	WEIGHT	ERD
700C(622-19)	585g	589mm
26"(559-19)	525g	525mm
24"(507-19)	475g	474mm
22"(457-19)	440g	424mm
20"(406-19)	385g	372mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW


A-M1



SIZE	WEIGHT	ERD
700C(622-19)	580g	597mm
26"(559-19)	525g	534mm
24"(507-19)	475g	482mm
20"(406-19)	380g	380mm
16"(305-19)	285g	280mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW

MT-96



SIZE	WEIGHT	ERD
700C(622-17)	515g	603mm
26"x1 3/8(590-17)	490g	570mm
26"(559-17)	465g	539mm
24"(507-17)	420g	488mm
20"x1 3/8(451-17)	374g	431mm
20"(406-17)	340g	386mm
18"(355-17)	300g	335mm
17"x1 1/4(369-17)	303g	349mm
16"x1 1/8(349-17)	295g	329mm
16"(305-17)	255g	285mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


MT-86



SIZE	WEIGHT	ERD
700C(622-16)	490g	601mm
26"(559-16)	440g	537mm
20"(406-16)	325g	384mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


A-262



SIZE	WEIGHT	ERD
700C(622-17)	589g	585mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW


A-250



SIZE	WEIGHT	ERD
700C(622-18)	581g	583mm
27.5"(584-18)	555g	545mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED


A-X240



SIZE	WEIGHT	ERD
700C(622-17)	554g	589mm

HOLES : 24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

A-M4



SIZE	WEIGHT	ERD
29er/700C(622-19)	545g	596mm
26"(559-19)	495g	533mm
24"(507-19)	445g	481mm
20"(406-19)	360g	380mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

MT-66



SIZE	WEIGHT	ERD
29er/700C(622-23)	650g	599mm
26"(559-23)	585g	535mm

HOLES : 32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

MT-46



SIZE	WEIGHT	ERD
28"(635-18)	537g	615mm
29er/700C(622-18)	520g	603mm
27.5"(584-18)	485g	564mm
26"(559-18)	465g	539mm
24"x1(520-18)	437g	500mm
24"(507-18)	425g	488mm
20"(406-18)	340g	386mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


MT-26



SIZE	WEIGHT	ERD
700C(622-18)	515g	606mm
26"(559-18)	465g	542mm
24"(507-18)	420g	491mm
20"(406-18)	335g	389mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


MT-25



SIZE	WEIGHT	ERD
29"(622-20)	498g	605mm
27.5"(584-20)	468g	567mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

MT-S16




SIZE	WEIGHT	ERD
700C(622-17)	437g	603mm
27.5"(584-17)	415g	564mm
26"(559-17)	393g	539mm
24"(507-17)	358g	488mm
20"1 1/8(451-17)	288g	431mm

HOLES : 28H/32H/36H

JOINT : SLEEVED

OPTIONAL : GSW/CSW/EYELETS

MT-21




SIZE	WEIGHT	ERD
26"(559-21)	482g	539mm
24"(507-21)	438g	488mm
20"x1 3/8(451-21)	390g	431mm
20"(406-21)	354g	386mm

HOLES : 28H/32H/36H

JOINT : PINNED

OPTIONAL : GSW/CSW/EYELETS

MT-20




SIZE	WEIGHT	ERD
700C(622-17)	520g	603mm
27.5"(584-17)	490g	564mm
26"(559-17)	465g	539mm
24"(507-17)	425g	488mm
20"(406-17)	340g	386mm

HOLES : 24H/28H/32H/36H

JOINT : PINNED

OPTIONAL : GSW/CSW/EYELETS

MT-18




SIZE	WEIGHT	ERD
700C(622-18)	508g	602mm
27.5"(584-18)	478g	564mm
26"(559-18)	457g	539mm

HOLES : 32H/36H

JOINT : PINNED

OPTIONAL : GSW/CSW

CT-46



SIZE	WEIGHT	ERD
28"(635-18)	494g	616mm
29er/700C(622-18)	487g	603mm
27.5"(584-18)	459g	564mm
26"(559-18)	438g	539mm
24"x1(520-18)	406g	500mm
24"(507-18)	399g	488mm
20"(406-18)	321g	386mm


HOLES : 20H/24H/28H/32H/36H

JOINT : PINNED

OPTIONAL : GSW/CSW/EYELETS




BX-38



SIZE	WEIGHT	ERD
26"(559-32)	725g	542mm
24"(507-32)	660g	491mm
20"(406-32)	530g	389mm
16"(305-32)	405g	288mm

HOLES : 24H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


BX-36



SIZE	WEIGHT	ERD
20"(406-25)	690g	371mm

HOLES : 32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


BX-34



SIZE	WEIGHT	ERD
26"(559-28)	572g	544mm
20"(406-28)	417g	391mm

HOLES : 20H/28H/32H/36H/48H
JOINT : PINNED


BX-33



SIZE	WEIGHT	ERD
20"(406-25)	460g	390mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


BX-32



SIZE	WEIGHT	ERD
700C(622-24)	588g	606mm
27.5"(584-24)	555g	568mm
26"(559-24)	530g	543mm
24"(507-24)	480g	491mm
20"(406-24)	385g	389mm
16"(305-24)	290g	289mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


BX-28



SIZE	WEIGHT	ERD
26"(559-27)	664g	540mm
20"(406-27)	484g	386mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


BX-S22



SIZE	WEIGHT	ERD
26"(559-22)	460g	538mm
24"(507-22)	419g	487mm
20"(406-22)	338g	385mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS


BX-20



SIZE	WEIGHT	ERD
26"(559-24)	530g	543mm
24"(507-24)	480g	491mm
20"(406-24)	385g	389mm
16"(305-24)	290g	289mm

HOLES : 20H/28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

BX-16




SIZE
20"(406-24)

WEIGHT
445g

ERD
384mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

BX-14



SIZE
24"(507-25)
22"(457-25)
20"(406-25)
16"(305-25)

WEIGHT
462g
417g
370g
280g


ERD
493mm
442mm
391mm
290mm

HOLES : 20H/28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS



BICYCLE RIM SINGLE WALL

MP-50



SIZE
700C(622-45)
27.5"(584-45)
26"(559-45)
24"(507-45)

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW


A-7N



SIZE
700C(622-20)
26"(559-20)

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW


MP-32



SIZE
26"(559-26)
24"(507-26)

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW

A-8V



SIZE
700C(622-16)
26"(559-16)
24"(507-16)
20"(406-16)

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW




MP-22



SIZE
26"(559-23)
24"(507-23)

HOLES : 32H/36H
JOINT : PINNED

EMP-50



SIZE
20"(406-45)
16"(305-45)

HOLES : 28H/32H/36H
JOINT : PINNED

A-5N



SIZE
26"x1 3/8(590-21) 18"(355-21)
26"(559-21) 16"(305-21)
24"(507-21) 14"(254-21)
22"(457-21) 12"(203-21)
20"(406-21)

HOLES : 20H/24H/28H/36H
JOINT : PINNED
OPTIONAL : GSW

A-6N



SIZE
26"(559-21) 18"(355-21)
24"(507-21) 16"(305-21)
22"(457-21) 14"(254-21)
20"(406-21) 12"(203-21)

HOLES : 20H/24H/28H/36H
JOINT : PINNED
OPTIONAL : GSW

A-7X



SIZE
26"(559-26) 18"(355-26)
24"(507-26) 16"(305-26)
22"(457-26)
20"(406-26)

HOLES : 20H/24H/28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/EYELETS/DIMPLE

A-5X



SIZE
700C(622-19) 18"(355-19)
26"(559-19) 16"(305-19)
24"(507-19) 14"(254-19)
20"(406-19)

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

A-35X



SIZE
24"(507-35)
20"(406-35)

HOLES : 32H/36H/48H
JOINT : PINNED
OPTIONAL : EYELETS

LP-60




SIZE
27"x1 1/4(630-20) 20"x1 3/8(451-20)
26"x1 3/8(590-20) 18"x1 3/8(400-20)
24"x1 3/8(540-20)
22"x1 3/8(501-20)

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW



LP-50



SIZE
 27"x1 1/4(630-19) 20"x1 3/8(451-19)
 26"x1 3/8(590-19) 18"x1 3/8(400-19)
 24"x1 3/8(540-19) 12"(203-19)
 22"x1 3/8(501-19)

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/EYELETS

LP-40



SIZE
 27"x1 1/4(630-15) 20"x1 3/8(451-15)
 26"x1 3/8(590-15) 18"x1 3/8(400-15)
 24"x1 3/8(540-15)
 22"x1 3/8(501-15)

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/EYELETS


7A



SIZE
 26"x1.75-2.125 16"x1.75-2.125
 24"x1.75-2.125 14"x1.75-2.125
 20"x1.75-2.125 12"x1.75-2.125
 18"x1.75-2.125

HOLES : 16H/20H/28H/32H/36H
FINISH : BK/CP/ED or Painted Colors
GAUGES : 12G/14G

7X



SIZE
 28"x1.75-2.125 18"x1.75-2.125
 26"x1.75-2.125 16"x1.75-2.125
 24"x1.75-2.125
 20"x1.75-2.125


HOLES : 16H/20H/28H/32H/36H
FINISH : BK/CP/ED or Painted Colors
GAUGES : 12G/14G
OPTIONAL : Dimpled or Non-Dimple Holes

BICYCLE RIM STEEL RIM






STEEL RIM



SIZE
14"x1.2 17"x1.4 14"x1.6 17"x1.85
16"x1.2 18"x1.4 16"x1.6 18"x1.85
17"x1.2 19"x1.4 17"x1.6 19"x1.85
19"x1.2 21"x1.4 18"x1.6
19"x1.6
21"x1.6

FINISH : CP

YL ALLOY RIM



SIZE
17"x1.6
18"x1.6
19"x1.6
21"x1.6

FINISH : Silver/Gold/Black/
Dark Blue/Red/Green/
Light Blue Anodized/
High Polish/Sand-Blasting

TL ALLOY RIM



SIZE
17"x2.50
18"x2.50
19"x2.50

FINISH : Silver/Gold/Black/
Dark Blue/Red/Green/
Light Blue Anodized/
High Polish/Sand-Blasting

U ALLOY RIM



SIZE
14"x1.6 17"x1.85
16"x1.6 18"x1.85
17"x1.6 19"x1.85
18"x1.6 21"x1.85
19"x1.6

FINISH : Silver/Gold/Black/
Dark Blue/Red/Green/
Light Blue Anodized/
High Polish/Sand-Blasting

TMT ALLOY RIM

NEW



SIZE
17"x3.50

FINISH : Silver/Gold/Black/Dark Blue/Red/
Green/Light Blue Anodized/
High Polish/Sand-Blasting

WM ALLOY RIM




SIZE
16"x1.1 10"x1.4 16"x1.5 10"x1.6
17"x1.1 14"x1.4 17"x1.5 12"x1.6
18"x1.1 16"x1.4 18"x1.5 14"x1.6
17"x1.4 19"x1.5 16"x1.6
16"x1.2 18"x1.4 17"x1.6
17"x1.2 19"x1.4 18"x1.6
18"x1.2 21"x1.4 19"x1.6
21"x1.6

12"x1.85 16"x2.15 12"x2.5 16"x3.0
14"x1.85 17"x2.15 16"x2.5 17"x3.0
16"x1.85 18"x2.15 17"x2.5 18"x3.0
17"x1.85 19"x2.15 18"x2.5
18"x1.85 19"x2.5
19"x1.85
21"x1.85

FINISH : Silver/Gold/Black/Dark Blue/Red/
Green/Light Blue Anodized/
High Polish/Sand-Blasting

H ALLOY RIM



SIZE
16"x1.4 16"x1.6 17"x1.85 17"x2.15
17"x1.4 17"x1.6 18"x1.85 18"x2.15
18"x1.4 19"x1.6 19"x1.85 19"x2.15
19"x1.4 21"x1.6 21"x1.85

16" x3.0
17"x3.0
18"x3.0

FINISH : Silver/Gold/Black/Dark Blue/Red/Green/
Light Blue Anodized/High Polish/
Sand-Blasting

MT ALLOY RIM



SIZE
19"xMT2.15 16"xMT2.5 16"xMT3.0 16"xMT3.5
21"xMT2.15 17"xMT2.5 17"xMT3.0 17"xMT3.5
18"xMT2.5 18"xMT3.0 18"xMT3.5

16"xMT4.25
17"xMT4.25
18"xMT4.25

FINISH : Silver/Gold/Black/Dark Blue/Red/Green/
Light Blue Anodized/High Polish/
Sand-Blasting



www.shining-cycle.com